



Dongguan Langjing Technology Co., Ltd

Address: 5 floor, Building A7, Yonghong Industrial Park, Xingguang Road, Huangjiang Town, DongGuan City, GuangDong Province, China
Tel/Whatsapp: +86 15362871680
E-mail: sales1@xzqaudio.com
Website: https://xzqaudio.com

Catalog List for Gaming/PC Speakers

2024 Sep


Model	Picture	Specification	Package Information
C100		Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 700mV Power input: DC 5V Cable length 1.6m Function : RGB lights /light switch / wired control / volume control	Product size: 60W*57.5D*280H mm N.W:0.7kg Giftbox size: L177*W125*H310mm Carton size:L52*W37.5*H32CM N.W: 7.3KG G.W: 8.3KG Qty: 8pcs/CTN
C200		Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 5W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 700mV Power input: DC 5V Cable length 1.6m Function : RGB lights /light switch / usb power/wired control	Product size: 10.8W*90D*272Hmm N.W:1kg N.W: 9KG G.W: 10KG Qty: 8pcs/CTN
C300		Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 10W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 700mV Power input: DC 5V Cable length 1.6m Function : RGB lights /light switch / usb power/wired control	Product size: 66W*65D*381Hmm N.W:1kg N.W: 9KG G.W: 10KG Qty: 8pcs/CTN
V5		Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light	Product size: 73W*83D*118H mm N.W:0.46KG G.W: 0.58KG Giftbox size: 155*100*125mm Carton size: 49.5*32.5*31.5CM N.W: 9kg G.W: 11kg Qty:20pcs/CTN
C1		Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light	Product size: 84*65*79mm Giftbox size:225*110*98mm N.W: 0.32kg 0.42 kg Giftbox size: 163*82*92MM carton size: 350*238*420MM N.W: 5.04KG G.W: 6.04 KG Qty: 12pcs/CTN
C3		Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light	Product size: 90*95*95mm Giftbox size:225*110*98mm N.W: 0.32kg 0.42 kg giftbox size: : 163*82*92MM carton size: 350*238*420MM N.W: 5.04KG G.W: 6.04 KG Qty: 12pcs/CTN

C2		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light</p>	<p>Product size: 96*100*96mm Giftbox size:255*115*118mm N.W: 0.43kg 0.55 kg</p> <p>giftbox size: 25*11.5*11.5MM carton size: 470*460*296MM N.W: 13.6KG G.W: 14.5 KG Qty: 24pcs/CTN</p>
C7		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light</p>	<p>Product size: 73W*83D*118H mm N.W:0.46KG G.W: 0.58KG</p> <p>Giftbox size: 155*100*125mm Carton size: 49.5*32.5*31.5CM N.W: 9kg G.W: 11kg Qty:20pcs/CTN</p>
V8		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2.5inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function : rgb lights /light switch / wired control / volume control</p>	<p>Product size: 90W*103H*190D mm N.W: 0.7KG G.W: 0.82KG</p> <p>Giftbox size: 190*130*195mm</p> <p>Carton size: 58*54*24CM N.W: 10KG G.W:11KG Qty: 12pcs/CTN</p>
G1		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function : rgb lights /light switch / wired control / volume control</p>	<p>Product size: 115W*95D*110H mm N.W:0.68KG G.W: 0.8KG</p> <p>Giftbox size:270*140*120mm</p> <p>Carton size: 37*35*35CM N.W: 10kg G.W: 11kg Qty:12pcs/CTN</p>
G7		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2.5inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function : rgb lights /light switch / wired control / volume control</p>	<p>Product size: 90W*103H*190D mm N.W: 0.8KG G.W: 0.92KG</p> <p>Giftbox size: 190*130*195MM</p> <p>Carton size: 58*54*24CM N.W: 9.2KG G.W:10KG Qty: 10pcs/CTN</p>
G6		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2.5inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function : rgb lights /light switch / wired control / volume control</p>	<p>Product size: 90W*103H*190D mm N.W: 0.68KG G.W: 0.9KG</p> <p>Giftbox size: 190*130*195MM</p> <p>Carton size: 58*54*24CM N.W: 7.5KG G.W:8.5KG Qty: 10pcs/CTN</p>
V9		<p>Output Power : 3W*2 Drive Unit: 2.5inch*2 Frequency: 160Hz-20KHz Separation: >30dB Input sensibility: 650mv power input: DC 5V Impedance: 4Ω Speaker cables:USB and 3.5mm /1.2m, Connecting cale: 1m Function : rgb lights /light switch / wired control / volume control</p>	<p>Product size: 90W*103D*190H mm N.W: 0.7KG</p> <p>Giftbox size: 190*130*195MM Carton size: 65.5*38.2*40.5CM N.W: 18KG G.W: 19KG Qty:16pcs/CTN</p>

<p>X5</p>		<p>Output Power : 3W*2 Drive Unit: 2.5inch*2 Frequency: 160Hz-20KHz Separation: >30dB Input sensibility: 650mv Power input: DC 5V Impedance: 4Ω Speaker cables:USB and 3.5mm cables 3.9ft(1.2m) Connecting cable: 1m Function : wired control / volume control</p>	<p>Product size: 80W*93H*155D mm N.W: 0.72KG G.W: 0.86KG</p> <p>Giftbox size: 170*115*160mm Carton size: 62.5*35*34CM N.W: 17.2KG G.W: 18.2KG Qty: 20pcs/CTN</p>
<p>X6</p>		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black,white Output Power: 5W*2 Drive Unit: 2.5inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV power input: DC 5V. Function :subwoofer/ knob switch / usb power/wired control</p>	<p>Product size: 80W*93H*155D mm N.W: 0.72KG G.W: 0.86KG</p> <p>Giftbox size: 170*115*160mm Carton size: 62.5*35*34CM N.W: 17.2KG G.W: 18.2KG Qty: 20pcs/CTN</p>
<p>X6 Pro</p>		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 5W*2 Drive Unit: 2.5inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V. Function : Touch Control/ headphone jack/ knob switch / Rgb lights /light switch / usb power/wired control /Bluetooth</p>	<p>Product size: 80W*93H*155D mm N.W: 0.74KG G.W: 0.86KG</p> <p>Giftbox size: 170*115*160mm Carton size: 62.5*35*34CM N.W: 17.2KG G.W: 18.2KG Qty: 20pcs/CTN</p>
<p>X6 Plus</p>		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 10W*2 Drive Unit: 2.5inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V. Function : Touch Control/ headphone jack/knob switch / Rgb lights /light switch / usb power/wired control /Bluetooth</p>	<p>Product size: 90W*96H*189D mm N.W: 0.95KG G.W: 1KG</p> <p>N.W: 13KG G.W: 14KG Qty: 12pcs/CTN</p>
<p>C5</p>		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/</p>	<p>Product size: 75*75*75 mm N.W: 0.23kg G.W: 0.3kg</p> <p>giftbox size: 150*75*75MM carton size: 460*395*418MM N.W: 16.6KG G.W: 17.3 KG Qty: 60pcs/CTN</p>
<p>M1</p>		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light</p>	<p>Product size: 7.7W*8D*7.7H mm N.W: 0.28kg G.W: 0.33kg</p> <p>giftbox size: : 163*82*92MM carton size: 505*425*385MM N.W: 19.5KG G.W: 20.5 KG Qty: 60pcs/CTN</p>
<p>X4</p>		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light</p>	<p>Product size: 65W*70D*100H mm N.W:0.34KG G.W: 0.4KG</p> <p>Giftbox size: 142*85*130mm Carton size: 44*43.5*41CM N.W: 19kg G.W: 20kg Qty: 45pcs/CTN</p>

X3		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function:usb power/wired control / volume control/led light</p>	<p>Product size: 65W*70D*100H mm N.W:0.34KG G.W: 0.4KG</p> <p>Giftbox size: 142*85*130mm Carton size: 44*43.5*41CM N.W: 19kg G.W: 20kg Qty: 45pcs/CTN</p>
X2		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function:usb power/wired control / volume control/led light</p>	<p>Product size: 65W*70D*100H mm N.W:0.34KG G.W: 0.4KG</p> <p>Giftbox size: 142*85*130mm Carton size: 44*43.5*41CM N.W: 19kg G.W: 20kg Qty: 45pcs/CTN</p>
L1		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function:usb power/wired control / volume control/</p>	<p>Product size: 75W*75D*75H mm N.W:0.23KG G.W: 0.27KG</p> <p>Giftbox size: 150*75*100mm Carton size: 46.5*39.5*41.8CM N.W: 18kg G.W: 19kg Qty: 60pcs/CTN</p>
C6		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function:usb power/wired control / volume control/led light</p>	<p>Product size: 75W*75D*75H mm N.W: 0.23KG G.W: 0.27KG</p> <p>Giftbox size: 150*75*100mm Carton size: 46.5*39.5*41.8CM N.W: 16.6KG G.W: 17.6KG Qty: 60pcs/CTN</p>
C7-1		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function:usb power/wired control / volume control/led light</p>	<p>Product size: 75W*75D*75H mm N.W: 0.23KG G.W: 0.27KG</p> <p>Giftbox size: 150*75*100mm Carton size: 46.5*39.5*41.8CM N.W: 16.6 KG G.W: 17.6 KG Qty: 60pcs/CTN</p>
C7-2		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light</p>	<p>Product size: 75W*75D*75H mm N.W: 0.23KG G.W: 0.27KG</p> <p>Giftbox size: 150*75*100mm Carton size: 46.5*39.5*41.8CM N.W: 16.6 KG G.W: 17.6 KG Qty: 60pcs/CTN</p>
A2		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light</p>	<p>Product size: 65W*60D*85H mm N.W: 0.26KG G.W: 0.29KG</p> <p>Giftbox size: 135*70*110mm Carton size: 42.5*37*48CM N.W: 17 KG G.W: 18 KG Qty: 60pcs/CTN</p>

A1		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function: usb power/wired control / volume control/led light</p>	<p>Product size: 10.4W*9.9D*15.5H mm N.W: 0.31KG G.W: 0.35KG</p> <p>Giftbox size: 140*70*115mm Carton size: 43*38*49CM N.W: 18 KG G.W: 19 KG Qty: 60pcs/CTN</p>
L5		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function : usb power/wired control / volume control/led light</p>	<p>Product size: 73W*83D*118H mm N.W:0.46KG G.W: 0.58KG</p> <p>Giftbox size: 155*100*125mm Carton size: 49.5*32.5*31.5CM N.W: 9kg G.W: 11kg Qty:30pcs/CTN</p>
Q5		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2.5inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function : rgb lights /light switch / wired control / volume control</p>	<p>Product size: 80W*115D*157H mm N.W: 0.68KG</p> <p>Giftbox size: 168*127*167mm Carton size: 40*34.8*35CM N.W: 10KG G.W: 11KG Qty:10pcs/CTN</p>
G9		<p>Type: Usb Power Speaker bus length: 1.6m Audio Interface: 3.5mm Color: Black Output Power: 3W*2 Drive Unit: 2.5inch*2 Frequency: 45Hz-16KHz Separation: >30dB Input sensibility: 680mV Power input: DC 5V Function : rgb lights / bluetooth/ rgb lights /light switch / wired control / volume control</p>	<p>Product size: 90W*100H*190D mm N.W: 0.8KG G.W: 0.93KG</p> <p>Giftbox size: 190*130*195MM</p> <p>Carton size: 41*39.5*40.5CM N.W: 11.5KG G.W:12.5KG Qty: 12pcs/CTN</p>
X8		<p>RMS: 5W+3W*2 Drive Unit: 3inch+2inch*2 Frequency: 150Hz-20KHz Separation: >30dB Input sensibility: 650mv Power input: DC 5V Function: subwoofer/Knob control / wired control / volume control</p>	<p>Main box size: 104W*99D*155H MM Small box size: 65W*70D*100H MM N.W: 0.73KG Giftbox size: 212*110*176mm Carton size: 59*44*37 N.W: 19.0KG G.W: 20.0KG Qty: 20pcs/CTN</p>
x7		<p>RMS: 5W+3W*2 Drive Unit: 3inch+2inch*2 Frequency: 150Hz-20KHz Separation: >30dB Input sensibility: 650mv Power input: DC 5V Function: subwoofer/Knob control / wired control / volume control</p>	<p>Main box size: 104W*99D*155H MM Small box size: 65W*70D*100H MM N.W: 0.73KG Giftbox size: 212*110*176mm Carton size: 59*44*37 N.W: 19.0KG G.W: 20.0KG Qty: 20pcs/CTN</p>
G3		<p>RMS: 5W+3W*2 Drive Unit: 3inch+2inch*2 Frequency: 150Hz-20KHz Separation: >30dB Input sensibility: 650mv Power input: DC 5V Function: subwoofer/ rgb lights /light switch / wired control / volume control</p>	<p>Main box size: 104W*99D*155H MM Small box size: 65W*70D*100H MM N.W: 0.73KG Giftbox size: 212*110*176mm Carton size: 59*44*37 N.W: 19.0KG G.W: 20.0KG Qty: 20pcs/CTN</p>

<p>D7</p>		<p>Channels:2.1CH Mode:Bluetooth/AUX/Remote/RGB Light Bluetooth version:5.0 Frequency response:40-20 khz Signal Noise:75dB Material:PVC+wooden Color:glossy black Output power:10Wx2(satellite speaker)+20w(Subwoofer) Power input:16V /3A Speaker driver:3"8Ωx2+5.25"4ΩFunction:remote control /subwoofer/Rgb lights /light switch / wired control / volume control/ Bluetooth</p>	<p>Satellite speaker size: W90xD100xH190mm Subwoofersize: W165xD240xH275mm</p>
------------------	---	---	---